

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	158	@ay<"2000" and ((first near server) with (task or process\$3)) same ((second near server) with (task or process\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/27 00:25
L2	26	@ay<"2000" and ((first near server) with first near (task or process\$3)) same ((second near server) with first near (task or process\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/27 00:25
S1	2983871	@ay<"2000"	US-PGPUB; USPAT	OR	ON	2004/08/19 16:45
S2	13795	@ay<"2000" and "709". clas.	US-PGPUB; USPAT	OR	ON	2004/08/19 16:45
S3	1142	@ay<"2000" and "709". clas. and (asynchronous with network)	US-PGPUB; USPAT	OR	ON	2004/08/19 16:45
S4	4	@ay<"2000" and "709". clas. and (asynchronous with network) and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (add and remove))	US-PGPUB; USPAT	OR	ON	2004/08/19 18:11
S5	0	@ay<"2000" and 709/201,202,203.ccls. and (asynchronous with network) and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (add and remove))	US-PGPUB; USPAT	OR	ON	2004/08/19 18:11
S6	2	@ay<"2000" and 709/201,202,203.ccls. and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (add and remove))	US-PGPUB; USPAT	OR	ON	2004/08/19 21:00

S7	7	@ay<"2000" and 709/201,202,203.ccls. and ((data with (packet or package)) with (segment or section or layer or blocks or header) with ((add\$4 or insert\$4 or append\$4 or affix\$4 or attach\$4 or "put in") and (remov\$4 or "take out")))	US-PGPUB; USPAT	OR	ON	2004/08/19 21:05
S8	7	@ay<"2000" and 709/201,202,203.ccls. and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (add\$4 or insert\$4 or append\$4 or affix\$4 or attach\$4 or "put in")) and ((data with (packet or package)) with (segment or section or layer or blocks or header) with (remov\$4 or "take out")))	US-PGPUB; USPAT	OR	ON	2004/08/19 21:06
S9	1	"6226680".pn.	US-PGPUB; USPAT	OR	ON	2005/03/10 15:51
S10	1	"5493692".pn.	US-PGPUB; USPAT	OR	ON	2005/02/24 09:22
S11	18	"60061809"	US-PGPUB; USPAT	OR	ON	2005/03/10 15:51
S12	18	"60061809".rlan.	US-PGPUB; USPAT	OR	ON	2005/03/10 16:58
S13	35	@ay<"2000" and (encapsulat\$7 or tunnel \$7).ti. and "709".clas. not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 17:00
S14	490	@ay<"2000" and "709". clas. and (router with (data with (package or packet))) not (vodafone). as.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:40
S15	10	@ay<"2000" and "709". clas. and (router with (data with (package or packet)) with ("distributed")) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:42
S16	113	@ay<"2000" and "709". clas. and (router with (data with (package or packet)) with (append\$7 or add\$4 or attach\$4)) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:43

S17	11	@ay<"2000" and "709". clas. and (router with (data with (package or packet)) with (append\$7 or attach\$4)) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 18:44
S18	7	@ay<"2000" and "709". clas. and (router with (data adj2 (package or packet)) with (append\$7 or attach\$4)) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 20:38
S19	4	@ay<"2000" and "709". clas. and ((data adj2 (package or packet)) with (append\$7 or attach\$4) with (encrypt\$9 or secur \$4)) not (vodafone).as.	US-PGPUB; USPAT	OR	ON	2005/03/10 20:40
S20	1	"5862344".pn.	US-PGPUB; USPAT	OR	ON	2005/12/19 14:10
S21	1179	@ay<"2000" and (request adj object)	US-PGPUB; USPAT	OR	ON	2006/04/28 15:27
S22	81	@ay<"2000" and (collaborative with (request or packet or object)) and (distributed with network)	US-PGPUB; USPAT	OR	ON	2006/04/28 15:28
S23	64	@ay<"2000" and (collaborative with (request or packet or object)) and (distributed with network) and (layer \$3 or envelop\$3 or encapsulat\$3 or append \$4)	US-PGPUB; USPAT	OR	ON	2006/04/28 15:29
S24	28	@ay<"2000" and (collaborative with (request or packet or object)) and (distributed with network) and ((layer \$3 or envelop\$3 or encapsulat\$3 or append \$4) with (request or packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/28 16:04
S25	1	"6233601".pn.	US-PGPUB; USPAT	OR	ON	2006/04/29 13:13
S26	86	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message))	US-PGPUB; USPAT	OR	ON	2006/04/29 13:14

S27	84	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and (append \$3 or add\$3)	US-PGPUB; USPAT	OR	ON	2006/04/29 13:15
S28	7	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and ((append \$3 or add\$3) with layer)	US-PGPUB; USPAT	OR	ON	2006/04/29 13:16
S29	31	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and (client with (inquiry or query or request))	US-PGPUB; USPAT	OR	ON	2006/04/29 13:36
S30	21	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and (client with (inquiry or query or request)) and ((return\$3 or back) with client)	US-PGPUB; USPAT	OR	ON	2006/04/29 15:09
S31	10	@ay<"2000" and (collaborative with (email or (e adj mail) or (electronic adj mail) or message)) and ((return\$3 or back) with client) and ((second or another) with server)	US-PGPUB; USPAT	OR	ON	2006/04/29 15:13
S32	518	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client)	US-PGPUB; USPAT	OR	ON	2006/04/29 15:14
S33	152	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client) and (client with device with (data or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 15:14
S34	152	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client) and (client with device with (data or information or identification))	US-PGPUB; USPAT	OR	ON	2006/04/29 15:15

S35	18	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client) and ((client with device with (data or information or identification)) with (layer or packet))	US-PGPUB; USPAT	OR	ON	2006/04/29 16:58
S36	32	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer) and (second with server with layer) and ((append\$3 or add\$3 or wrap\$4) with layer)	US-PGPUB; USPAT	OR	ON	2006/04/29 17:00
S37	23	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer) and (second with server with layer) and ((append\$3 or add\$3 or wrap\$4) with layer) and (client with (id or identification or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 17:03
S38	2	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer with packet) and (second with server with layer with packet) and ((append\$3 or add\$3 or wrap\$4) with layer) and (client with (id or identification or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 17:10
S39	5	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer with (packet or object)) and (second with server with layer with (packet or object)) and ((append\$3 or add\$3 or wrap\$4) with (packet or object)) and (client with (id or identification or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:06

S40	352	@ay<"2000" and (client with (request or inquiry or query)) and (first with server) and (second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:09
S41	239	@ay<"2000" and (client with (request or inquiry or query)) and (first with server) and (second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information)) and ((add \$4 or append\$4 or attach \$4 or includ\$4) with (response))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:10
S42	53	@ay<"2000" and (client with (request or inquiry or query)) and (process \$4 with first with server) and (process\$4 with second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information)) and ((add \$4 or append\$4 or attach \$4 or includ\$4) with (response))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:13
S43	0	@ay<"2000" and (client with (request or inquiry or query)) and (partial\$5 with process\$4 with first with server) and (partial \$5 with process\$4 with second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information)) and ((add \$4 or append\$4 or attach \$4 or includ\$4) with (response))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:11

S44	19	@ay<"2000" and (client with (request or inquiry or query)) and (process \$4 with first with server) and (process\$4 with second with server) and ((add\$4 or append\$4 or attach\$4) with rout\$4 with (data or information)) and ((add \$4 or append\$4 or attach \$4 or includ\$4) with (response)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2006/04/29 21:21
S45	4	@ay<"2000" and (client with (request or inquiry or query)) and (process \$3 with first with server) and (process\$3 with second with server) and ((add\$3 or append\$3 or attach\$3) with rout\$3 with (data or information)) and ((add \$3 or append\$3 or attach \$3 or includ\$3) with (response)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2006/04/29 21:36
S46	11	@ay<"2000" and (client with (request or inquiry or query)) and (server with (append\$4 or attach \$3 or add\$3) with routing with (data or information))	US-PGPUB; USPAT	OR	ON	2006/04/29 21:43
S47	1	"5862344".pn.	US-PGPUB; USPAT	OR	ON	2006/04/30 15:27
S48	4	@ay<"2000" and (client with (request or inquiry or query)) and (server with (append\$4 or attach \$3 or add\$3) with routing with (data or information)) and (first with second with server)	US-PGPUB; USPAT	OR	ON	2006/04/29 21:48
S49	13	@ay<"2000" and (server with (append\$4 or attach \$3 or add\$3) with routing with (data or information)) and (first with second with server)	US-PGPUB; USPAT	OR	ON	2006/04/29 21:48
S50	948	@ay<"2000" and (rout\$3 with (packet or object) with server) and client	US-PGPUB; USPAT	OR	ON	2006/04/30 15:28

S51	114	@ay<"2000" and (rout\$3 with (packet or object) with server) and client and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing)	US-PGPUB; USPAT	OR	ON	2006/04/30 15:29
S52	38	@ay<"2000" and (rout\$3 with (packet or object) with server) and client and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/30 15:39
S53	10	@ay<"2000" and (rout\$3 with (packet or object) with server) and client and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object)) and ((append \$3 or add\$3 or wrap\$4 or insert\$4 or combin\$3) with (packet or object or request or query or inquiry) with (result or response))	US-PGPUB; USPAT	OR	ON	2006/04/30 16:26
S54	2	@ay<"2000" and (rout\$3 with (packet or object) with first with server) and (rout\$3 with (packet or object) with (second or another) with server) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/30 16:29
S55	3	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with server) and (rout\$3 with (packet or object) with (second or another) with server) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/30 16:32

S56	41	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with (node or server)) and (rout\$3 with (packet or object) with (second or another) with (node or server)) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT	OR	ON	2006/04/30 17:03
S57	6	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with (node or server)) and (rout\$3 with (packet or object) with (second or another) with (node or server)) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object)) and ((append \$3 or add\$3 or wrap\$4 or insert\$4 or combin\$3) with (packet or object or request or query or inquiry) with (result or response))	US-PGPUB; USPAT	OR	ON	2006/04/30 16:39
S58	8	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with (node or server)) and (rout\$3 with (packet or object) with (second or another) with (node or server)) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object)) and "709". clas.	US-PGPUB; USPAT	OR	ON	2006/04/30 18:06
S59	368	@ay<"2000" and ((first or proxy or gateway) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with routing)	US-PGPUB; USPAT	OR	ON	2006/04/30 18:12

S60	40	@ay<"2000" and ((first or proxy or gateway) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with routing) and ((second or host or server) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with (response or result))	US-PGPUB; USPAT	OR	ON	2006/04/30 18:14
S61	8	@ay<"2000" and ((first or proxy or gateway) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with routing) and ((second or host or server) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with (response or result)) and "709".clas.	US-PGPUB; USPAT	OR	ON	2006/04/30 18:18
S62	28	@ay<"2000" and ((first or proxy or gateway) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with routing) and ((second or host or server) with (add\$3 or append\$3 or wrap\$4 or envelop\$3) with (response or result)) and network	US-PGPUB; USPAT	OR	ON	2006/04/30 18:34
S63	18	@ay<"2000" and (proxy or gateway) and cookie and ((append\$3 or add\$3 or wrap\$4) with routing) and ((append\$3 or add\$3 or wrap\$4) with (result or response))	US-PGPUB; USPAT	OR	ON	2006/04/30 18:36
S64	4	@ay<"2000" and ((proxy or gateway) with (append\$3 or add\$3 or wrap\$4) with routing) and ((append\$3 or add\$3 or wrap\$4) with (result or response)) and cookie	US-PGPUB; USPAT	OR	ON	2006/05/02 18:33
S65	1	(helper adj monkey)	US-PGPUB; USPAT	OR	ON	2006/05/02 18:34
S66	73	(helper with monkey)	US-PGPUB; USPAT	OR	ON	2006/05/02 18:47
S67	0	(helper with monkey) and train\$3	US-PGPUB; USPAT	OR	ON	2006/05/02 18:35
S68	1	(helper adj animal)	US-PGPUB; USPAT	OR	ON	2006/05/02 18:47

S69	2	@ay<"2000" and (client with (inquiry or request or query)) and (first with server with layer with packet) and (second with server with layer with packet) and ((append\$3 or add\$3 or wrap\$4) with layer) and (client with (id or identification or information))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/24 19:48
S70	4	@ay<"2000" and (client with (request or inquiry or query)) and (server with (append\$4 or attach\$3 or add\$3) with routing with (data or information)) and (first with second with server)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/24 19:48
S71	18	@ay<"2000" and ((token adj ring) with network) and ((return\$3 or back) with client) and ((client with device with (data or information or identification)) with (layer or packet))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/24 19:48
S72	7	@ay<"2000" and 709/201,202,203.ccls. and ((data with (packet or package)) with (segment or section or layer or blocks or header) with ((add\$4 or insert\$4 or append\$4 or affix\$4 or attach\$4 or "put in") and (remov\$4 or "take out")))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/24 19:52
S73	3	@ay<"2000" and (rout\$3 with (packet or object) with (main or host or proxy or first) with server) and (rout\$3 with (packet or object) with (second or another) with server) and ((append\$3 or add\$3 or wrap\$4 or envelop\$3) with routing with (packet or object))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/04/24 19:53
S74	4293	@ay<"2001" and ((request or query or inquiry) with (all or multiple or series or chain) with (destination or service or provider or host or server))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/12/23 11:09

S75	239	@ay<"2001" and ((request or query or inquiry) with (all or multiple or series or chain) with (destination or service or provider or host or server)) and ((answer\$3 or respons\$3) with (layer\$3 or add\$3 or append\$3) with (destination or service or provider or host or server))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/12/23 11:17
S76	126	@ay<"2001" and ((request or query or inquiry) with (all or multiple or series or chain) with (destination or service or provider or host or server)) and ((answer\$3 or respons\$3) with (layer\$3 or add\$3 or append\$3) with (destination or service or provider or host or server)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/12/23 11:18
S77	4	@ay<"2001" and ((request or query or inquiry) with (all or multiple or series or chain) with (destination or service or provider or host or server)) and ((answer\$3 or respons\$3) with (portion or part or section) with (layer\$3 or add\$3 or append\$3) with (destination or service or provider or host or server)) and "709".clas.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/12/23 13:04
S78	8	@ay<"2001" and ((request or query or inquiry) with (all or multiple or series or chain) with (destination or service or provider or host or server)) and ((answer\$3 or respons\$3) with (portion or part or section) with (layer\$3 or add\$3 or append\$3) with (destination or service or provider or host or server))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/12/23 13:09

S79	26	@ay<"2001" and ((client or user or customer or computer or pc or terminal) with (request or query or inquiry) with (all or multiple or series or chain)) and ((answer\$3 or respons\$3) with (portion or part or section) with (layer\$3 or add\$3 or append\$3)) and ((layer\$3 or add\$3 or append\$3) with (rout\$3 or address\$3 or destination or location))	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2010/12/23 13:38
S80	1198	@ay<"2000" and "709". clas. and (request\$3 or inquir\$4 or quer\$5 or search\$3) near object	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:21
S81	24	@ay<"2000" and "709". clas. and ((request\$3 or inquir\$4 or quer\$5 or search\$3) near object) same ((portion or part\$5) with (response or answer or reply))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:22
S82	0	@ay<"2000" and "709". clas. and ((request\$3 or inquir\$4 or quer\$5 or search\$3) near object) same ((portion or part\$5) with (response or answer or reply)) same layer	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:33
S83	0	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) near object) same ((portion or part\$5) with (response or answer or reply)) same layer	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:34
S84	18	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) near object) same ((portion or part\$5) with (response or answer or reply)) and (object with layer)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:35
S85	58	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) same ((portion or part\$5) with (response or answer or reply)) and (object with layer)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:38

S86	24	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) same ((portion or part\$5) with (response or answer or reply)) and (object with layer) and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:38
S87	20	S86 not S84	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:39
S88	5	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) same ((portion or part\$5) with (response or answer or reply)) and (object with layer with encapsulat\$5)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:51
S89	11	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) same ((portion or part\$5) with (response or answer or reply)) and (object with layer with (encapsulat\$5 or add\$5 or remov\$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 01:53
S90	11	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) same ((portion or part\$5) with (response or answer or reply)) and (object with layer with (encapsulat\$5 or add\$5 or remov\$5 or insert\$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:20
S91	4	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) same ((portion or part\$5) with (forward\$3)) and (object with layer with (encapsulat\$5 or add\$5 or remov\$5 or insert\$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:20

S92	138	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) and ((forward\$3)) and (object with layer with (encapsulat\$5 or add \$5 or remov\$5 or insert \$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:24
S93	3	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) and ((forward\$3)) with (object with layer with (encapsulat\$5 or add \$5 or remov\$5 or insert \$5))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:26
S94	3	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) and ((forward\$3)) with (object) with (further or additional or added or more) with (processing))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:29
S95	2	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) and ((forward\$3 or send\$3 or tranfer\$5 or transmi\$6) with (object) with (further or additional or added or more) with (processing) with layer)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:33
S96	42	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) and ((forward\$3 or send\$3 or tranfer\$5 or transmi\$6) with (object) with (further or additional or added or more) with (processing)) and "709". clas.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:34
S97	2	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) and ((first) with (server or host) with (forward\$3 or send\$3 or tranfer\$5 or transmi\$6) with (object) with (further or additional or added or more) with (processing)) and "709". clas.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:37

S98	3	@ay<"2000" and ((request\$3 or inquir\$4 or quer\$5 or search\$3) with object) and ((first) with (server or host) with (forward\$3 or send\$3 or tranfer\$5 or transmi\$6) with (object) with (further or additional or added or more) with (processing))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:51
S99	14	@ay<"2000" and ((forward\$3) with (request\$3 or inquir\$3 or quer\$4) with (object) with second) and "709".clas.	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 21:55
S100	1	@ay<"2000" and ((forward\$3) with (request\$3 or inquir\$3 or quer\$4) with (object) with second) same ((part\$3 or portion) with (fulfil\$4 or execut\$4 or perform\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:03
S101	5	@ay<"2000" and ((forward\$3 or send\$3) with (request\$3 or inquir\$3 or quer\$4) with (object) with second) same ((part\$3 or portion) with (fulfil\$4 or execut\$4 or perform\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:07
S102	11	@ay<"2000" and ((forward\$3 or send\$3) with (request\$3 or inquir\$3 or quer\$4) with (object) with second with (server)) and ((part\$3 or portion) with (fulfil\$4 or execut\$4 or perform\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:09
S103	5	@ay<"2000" and ((forward\$3 or send\$3) with (request\$3 or inquir\$3 or quer\$4) with (object) with second near (server)) and ((part\$3 or portion) with (fulfil\$4 or execut\$4 or perform\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:10
S104	5	@ay<"2000" and ((forward\$3 or send\$3) with (request\$3 or inquir\$3 or quer\$4) with (object) with second near (server)) and ((part\$3 or portion) with (fulfil\$4 or execut\$4 or perform\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:10

S105	4	@ay<"2000" and ((forward\$3 or send\$3) with ((request\$3 or inquire\$3 or quer\$4) near object) with (second near server))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:17
S106	20	@ay<"2000" and "709". clas. and (travel\$4 with proxy)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:21
S107	0	@ay<"2000" and ((forward\$3 or send\$3) with (proxy) with (add\$3 or additional or append \$3) with (layer or address) with (second near server))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:23
S108	1	@ay<"2000" and ((forward\$3 or send\$3) with (proxy or first) with (add\$3 or additional or append\$3) with (layer or address) with (second near server))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:23
S109	1	@ay<"2000" and ((forward\$3 or send\$3) with (add\$3 or additional or append\$3) with (layer or address) with (second near server))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:24
S110	0	@ay<"2000" and ((forward\$3 or send\$3) with (add\$3 or additional or append\$3) with (layer or address) with (second near server)) and ((request) with (first near server))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:24
S111	9	@ay<"2000" and ((add\$3 or additional or append \$3) with (layer or address) with (second near server))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:25
S112	1770	@ay<"2000" and ((add\$3 or additional or append \$3) with (layer or address) with (request))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:27

S113	0	@ay< "2000" and ((add\$3 or additional or append \$3) with (layer or address) with (request)) same (second near server) same (client with request with (first near server))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:28
S114	0	@ay< "2000" and ((add\$3 or additional or append \$3) with (layer or address) with (request)) same (second near server) same (request with (first near server))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:31
S115	3	@ay< "2000" and ((add\$3 or additional or append \$3) with (layer or address) with (request)) same (second near server) same (first near server)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:31
S116	0	@ay< "2000" and ((add\$3 or additional or append \$3) with (layer or address) with (request)) and (three adj tier) same ((portion or part or partial) with (execut\$5 or process\$3) with request)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:35
S117	1	@ay< "2000" and ((add\$3 or additional or append \$3) with (layer or address) with (request)) and (three adj tier)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:36
S118	1	@ay< "2000" and ((add\$3 or additional or append\$3 or insert\$5) with (layer or address) with (request)) and (three adj tier)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:40
S119	1325	@ay< "2000" and (three adj tier)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:41
S120	0	@ay< "2000" and (three adj tier) same ((request or quer\$3 or search\$3 or inquir\$4) near object) with (layer or address\$3) with (add or addition\$3 or append\$3 or insert\$5)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:42

S121	4	@ay<"2000" and (three adj tier) same ((request or quer\$3 or search\$3 or inquir\$4) near object) with (layer or address\$3)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:42
S122	5	@ay<"2000" and ((append\$3) with (address \$3 or layer) with (request) with (forward \$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:51
S123	1	@ay<"2000" and ((append\$3) with (address \$3 or layer) with (request with (object or packet)) with (forward\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:51
S124	78	@ay<"2000" and ((request near (object or packet)) with (append\$3 or add\$3 or addition\$3) with (layer or address\$3))	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:55
S125	1	@ay<"2000" and ((request near (object or packet)) with (append\$3 or add\$3 or addition\$3) with (layer or address\$3)) with (forward\$3)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:55
S126	0	@ay<"2000" and (append \$3 with (address or layer) with request with (packet) with forward\$3) and ((portion or part\$4) with (process\$3) with request)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:56
S127	1	@ay<"2000" and (append \$3 with (address or layer) with (packet) with forward \$3) and ((portion or part \$4) with (process\$3) with request)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:56
S128	27	@ay<"2000" and (append \$3 with (address or layer) with (packet) with forward \$3)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2011/03/26 22:57

EAST Search History (Interference)

<This search history is empty>

3/ 27/ 11 1:43:50 AM

C:\Documents and Settings\achoudhury\My Documents\EAST\Workspaces\azizul09855142.wsp